

Mapsc0 643 T



This symbol marks the approximate location of directional signage for Bldgs 10 & 11



15869
Bldg 7
Suites 700-799

15861
Bldg 8
Suites 800-899

15853
Bldg 9
Suites 900-999



15845
Bldg 6
Suites 600-699

15841
Bldg 11
Suites 1100-1199

15837
Bldg 10
Suites 1000-1099

15829
Bldg 1
Suites 100-199



15825
Bldg 5
Suites 500-599

15821
Bldg 3
Suites 300-399

15817
Bldg 2
Suites 200-299



15813
Bldg 4
Suites 400-499

15813 is a future building

CHAMPIONS CIRCLE ADDITION
BLOCK 4, LOTS 1-3
SP16-1027 (Reference FP15-016)

11 Addresses
Last updated 11/08/16

PILGRIM DRIVE

BUCEES BOULEVARD

BUCEES BOULEVARD

NORTH FREEWAY

OUTLET BOULEVARD

II.8. POSTING A COMMERCIAL ADDRESS All typical commercial address numbers shall be **conspicuously placed on the building**, on or adjacent to the front door or main entrance in plain view from the street using numerals a minimum of **six 6” in height** and a minimum stroke of 1” in width with building setbacks no more than 100’ feet. The numbers shall be in contrasting color with the background. In addition to being directly attached to the building, **the numbers may also be attached to a freestanding sign, marquee, or other acceptable detached signage as to be determined by the Fire Official.**

II.8.1. Deep Setbacks Building setback greater than 100’ feet but less than 200’ feet shall have posted address numbers of not less than **8” inches in height**. Greater than 200’ feet, numbers shall be not less than **12” inches in height**.

II.8.2. Strip Mall Types, Suite Numbers Regular Street Address Assignments and/or Suite Numbers, whichever the case, shall be in plain view from a reasonable distance (either from the street or fire lane as the case may be) and posted on a contrasting background. Such addresses shall be posted as much as possible on, above, or adjacent to the main door entrance. With suites, where the building address is not clearly posted elsewhere, the full street address with the suite number should be included. The Fire Department shall have final authority and approval.


..... **Suite numbers in typical strip mall type buildings shall also be posted on the back door using numbers at least 2” in height when they open directly to the outdoors.**

II.9.ADDRESSING IN MULTIPLE BUILDING COMPLEXES Multiple *single-story* buildings in a closely configured complex that are architecturally the same shall utilize suite numbers in a 100’s, 200’s, 300’s fashion from one building to the next. Even-numbered suite numbers shall be assigned with even-numbered

addresses and odds with odds whenever possible. If necessary after remodels or reconfigurations to keep from re-addressing, suite numbers may be mixed, odd with even numbers.

Signage Template color scheme may differ, but numbers and letters “shall be in contrasting color with the background”:

Signage Template



Building setback greater than 100' feet but less than 200' feet shall have posted address numbers of not less than **8" inches in height**. Greater than 200' feet, numbers shall be not less than **12" inches in height**.